# antibodies -online.com







## anti-EXOC3 antibody (AA 714-756) (Alexa Fluor 594)



( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL	
Target:	EXOC3	
Binding Specificity:	AA 714-756	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This EXOC3 antibody is conjugated to Alexa Fluor 594	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human EXOC3	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Rabbit	
Purification:	Purified by Protein A.	

#### **Target Details**

Target:	EXOC3
Alternative Name:	rSec6 (EXOC3 Products)

### **Target Details**

•		
Background:	Synonyms: EXOC 3, EXOC3, Exocyst complex component 3, Exocyst complex component Sec	
	6, Exocyst complex component Sec6, rSec 6, Sec 6, Sec 6 homolog, Sec 6p, Sec6, SEC6	
	L1, SEC6 like 1, Sec6 protein, SEC6L1, Sec6p, EXOC3_HUMAN.	
	Background: The protein encoded by this gene is a component of the exocyst complex, a	
	multiple protein complex essential for targeting exocytic vesicles to specific docking sites on	
	the plasma membrane. Though best characterized in yeast, the component proteins and	
	functions of exocyst complex have been demonstrated to be highly conserved in higher	
	eukaryotes. At least eight components of the exocyst complex, including this protein, are found	
	to interact with the actin cytoskeletal remodeling and vesicle transport machinery. The complex	
	is also essential for the biogenesis of epithelial cell surface polarity.	
Gene ID:	11336	
UniProt:	060645	
Pathways:	Peptide Hormone Metabolism, Synaptic Vesicle Exocytosis	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	