antibodies .- online.com







anti-ZNF350 antibody (AA 101-220) (Alexa Fluor 594)



\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	ZNF350	
Binding Specificity:	AA 101-220	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ZNF350 antibody is conjugated to Alexa Fluor 594	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ZNF350/ZBRK1	
Isotype:	IgG	
Predicted Reactivity:	Human	
Purification:	Purified by Protein A.	

Target Details

Target:	ZNF350	
Alternative Name:	ZNF350/ZBRK1 (ZNF350 Products)	
Background: Synonyms: KRAB zinc finger protein ZFQR, ZBRK1, ZFQR, Zinc finger and BRCA1 interacting		

protein with a KRAB domain 1, Zinc finger and BRCA1-interacting protein with a KRAB domain		
1, Zinc finger protein 350, Zinc finger protein ZBRK1, ZN350_HUMAN, ZNF350.		
Background: The transcpritional repressor ZBRK1, also designated zinc finger and BRCA1-		
interacting protein with a KRAB domain 1 or zinc finger protein 350, belongs to the Kr_ppel		
C2H2-type zinc-finger protein family of proteins. ZBRK1 localizes mainly to the nucleus and		
may be associated with the nuclear matrix. It is a widely expressed protein that binds to BRCA1.		
ZBRK1 plays an important role in transcriptional regulation. Likely targets of gene regulation are		
DNA damage response genes, which effect the survival and growth control of cells. ZBRK1		
contains an N-terminal KRAB domain, a C-terminal BRCA1-binding region and eight central zinc-		
fingers.		

Gene ID:

59348

Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	