antibodies

## Datasheet for ABIN2809301 anti-Serotonin Receptor 1E antibody (AA 1-120) (Alexa Fluor 594)



Overview

Quantity:	100 µL
Target:	Serotonin Receptor 1E (HTR1E)
Binding Specificity:	AA 1-120
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Serotonin Receptor 1E antibody is conjugated to Alexa Fluor 594
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## Product Details

Background:

Immunogen:	KLH conjugated synthetic peptide derived from human 5HT1E Receptor/SR-1E
lsotype:	IgG
Predicted Reactivity:	Human,Cow,Pig,Guinea Pig
Purification:	Purified by Protein A.
Target Details	
Target:	Serotonin Receptor 1E (HTR1E)
Alternative Name:	5HT1E Receptor/SR-1E (HTR1E Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN2809301 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Synonyms: 5 hydroxytryptamine serotonin receptor 1E, 5 hydroxytryptamine serotonin receptor

1E G protein coupled, 5 hydroxytryptamine 1E receptor, 5-HT-1E, 5-hydroxytryptamine receptor	
1E, HTR1E, S31, Serotonin receptor 1E, 5HT1E_HUMAN.	
Background: The members of the G-protein-coupled receptor family are distinguished by their	
slow transmitting response to ligand binding. These seven transmembrane proteins include the	
adrenergic, serotonin and dopamine receptors. The effect of the signaling molecule can be	
excitatory or inhibitory depending on the type of receptor to which it binds. b-adrenergic bound	
to adrenaline activates adenylyl cyclase, while a2-adrenergic receptor bound to adrenaline	
inhibits adenylyl cyclase. Like the a2-adrenergic receptor, serotonin receptor functions are also	
mediated by G proteins that inhibit the activity of adenylyl cyclase. The serotonin receptors	
have been classified into several categories, designated SR-17 (5HT17). Subtypes within the	
SR-1 group include SR-1A, -1B, -1D, -1E and -1F.	

Pathways:

JAK-STAT Signaling, cAMP Metabolic Process

## Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN2809301 | 03/07/2024 | Copyright antibodies-online. All rights reserved.