antibodies -online.com





anti-NCAPG2 antibody (AA 451-550) (Alexa Fluor 594)



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Quantity:	100 μL	
Target:	NCAPG2	
Binding Specificity:	AA 451-550	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NCAPG2 antibody is conjugated to Alexa Fluor 594	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CAPG2	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat	
Purification:	Purified by Protein A.	

Target Details

Target:	NCAPG2	
Alternative Name:	CAPG2 (NCAPG2 Products)	

Target Details

Background:	Synonyms: Chromosome associated protein G2, LUZP5, CAP G2, Leucine zipper protein 5, Non
	SMC condensin II complex subunit G2, Condensin 2 complex subunit G2, NCAPG 2, Non SMC
	condensin II complex, subunit G2, CNDG2_HUMAN.
	Background: Regulatory subunit of the condensin-2 complex, a complex which establishes
	mitotic chromosome architecture and is involved in physical rigidity of the chromatid axis.
	NCAPG2 is 1 of 3 non-SMC subunits that define condensin II. Condensin complexes I and II
	play essential roles in mitotic chromosome assembly and segregation. Both condensins
	contain 2 invariant structural maintenance of chromosome (SMC) subunits, SMC2 and SMC4,
	but they contain different sets of non-SMC subunits. NCAPG2 is 1 of 3 non-SMC subunits that
	defines condensin II.
Gene ID:	54892
UniProt:	Q86XI2
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months