antibodies - online.com







anti-GNL2 antibody (AA 1-100) (Alexa Fluor 594)



\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL	
Target:	GNL2	
Binding Specificity:	AA 1-100	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GNL2 antibody is conjugated to Alexa Fluor 594	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GNL2	
Isotype:	IgG	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human,Dog,Cow,Sheep,Pig,Horse	
Purification:	Purified by Protein A.	

Target Details

Target:	GNL2
Alternative Name:	GNL2 (GNL2 Products)

Target Details

Background:	Synonyms: Autoantigen NGP-1, Autoantigen NGP1, DJ423B22.6 novel nucleolar guanosine 5'-	
	triphosphate binding protein, FLJ40906, GNL2, Guanine nucleotide binding protein-like 2	
	nucleolar, HUMAUANTIG, NGP1, NOG2_HUMAN, Nucleolar GTP binding protein 2, Nucleolar	
	GTP-binding protein 2, Nucleolar GTPase.	
	Background: GNL2 is a nucleolar guanasine-triphosphate binding protein that is ubiquitously	
	expressed at low levels in almost all tissues. GNL2 is involved in the crucial process of	
	trafficking proteins out of the nucleus. Specifically, it is a GTPase that interacts with the 60s	
	preribosomal subunit in the nucleus and facilitates export of the subunit into the cytoplasm.	
	GTPases are responsible for the hydrolysis of GTP by way of a protein region dubbed the G	
	domain. GTPases are often involved in the translocating proteins through membranes gleaning	
	energy for the activity by hydrolizing GTP. GNL2 shares G domain homology and some	
	functionality with nucleostemin (GNL3), another nuclear GTPase. Highest expression of GNL2	
	is found in testis.	
Gene ID:	29889	
Application Details		
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	