antibodies .- online.com





TEAD1 Protein (AA 1-426) (His tag)





Go to Product page

Overview

Quantity:	1 mg
Target:	TEAD1
Protein Characteristics:	AA 1-426
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TEAD1 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Crystallization (Crys), ELISA, Western Blotting (WB)

Product Details

Sequence:

MEPSSWSGSE SPAENMERMS DSADKPIDND AEGVWSPDIE QSFQEALAIY PPCGRRKIIL
SDEGKMYGRN ELIARYIKLR TGKTRTRKQV SSHIQVLARR KSRDFHSKLK DQTAKDKALQ
HMAAMSSAQI VSATAIHNKL GLPGIPRPTF PGGPGFWPGM IQTGQPGSSQ DVKPFVQQAY
PIQPAVTAPI PGFEPTSAPA PSVPAWQGRS IGTTKLRLVE FSAFLEQQRD PDSYNKHLFV
HIGHANHSYS DPLLESVDIR QIYDKFPEKK GGLKELFGKG PQNAFFLVKF WADLNCNIQD
DAGAFYGVSS QYESSENMTV TCSTKVCSFG KQVVEKVETE YARFENGRFV YRINRSPMCE
YMINFIHKLK HLPEKYMMNS VLENFTILLV VTNRDTQETL LCMACVFEVS NSEHGAQHHI

YRLVKD

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Tead1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process

to ensure crystallization grade.

· State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target: TEAD1

Alternative Name: Tead1 (TEAD1 Products)

Target Details

9	
Background:	Transcription factor which plays a key role in the Hippo signaling pathway, a pathway involved
	in organ size control and tumor suppression by restricting proliferation and promoting
	apoptosis. The core of this pathway is composed of a kinase cascade wherein MST1/MST2, in
	complex with its regulatory protein SAV1, phosphorylates and activates LATS1/2 in complex
	with its regulatory protein MOB1, which in turn phosphorylates and inactivates YAP1
	oncoprotein and WWTR1/TAZ. Acts by mediating gene expression of YAP1 and WWTR1/TAZ,
	thereby regulating cell proliferation, migration and epithelial mesenchymal transition (EMT)
	induction. Binds specifically and cooperatively to the SPH and GT-IIC 'enhansons' (5'-
	GTGGAATGT-3') and activates transcription in vivo in a cell-specific manner. The activation
	function appears to be mediated by a limiting cell-specific transcriptional intermediary factor
	(TIF). Involved in cardiac development. Binds to the M-CAT motif (By similarity).
	{ECO:0000250}.
Molecular Weight:	48.9 kDa Including tag.
UniProt:	P30051
Pathways:	Regulation of Lipid Metabolism by PPARalpha
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

Expiry Date:

Unlimited (if stored properly)

Images



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process