
antibodies .- online.com







anti-ABCF2 antibody (AA 301-400) (Alexa Fluor 750)



()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	ABCF2
Binding Specificity:	AA 301-400
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ABCF2 antibody is conjugated to Alexa Fluor 750
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ABCF2
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Pig
Purification:	Purified by Protein A.

Target Details

Target:	ABCF2
Alternative Name:	ABCF2 (ABCF2 Products)

Target Details

•		
Background:	Synonyms: 0710005005Rik, ABC28, ABCF 2, ATP binding cassette sub family F GCN20	
	member 2, DKFZp586K1823, Drr3, E430001006, EST133090, fb04f06, fc74f03, fd58d07,	
	HUSSY 18, MABC1, MGC128735, ABCF2_HUMAN.	
	Background: ATP-binding cassette (ABC) transporters are an evolutionarily conserved family of	
	widely-expressed proteins that use ATP hydrolysis to catalyze the transport of various	
	molecules across extracellular and intracellular membranes. As the largest family of	
	transmembrane proteins, ABC genes comprise several subfamilies. Eukaryotic ABC	
	transporters are largely responsible for trafficking hydrophobic compounds either within the	
	cell, as part of a metabolic process, or outside the cell, for transport to other organs or for	
	secretion from the body. ABCF2 in particular plays a putative role in tumor suppression at	
	metastatic sites and in the endocrine pathway for breast cancer and may be a prognostic	
	marker for clear cell ovarian adenocarcinoma.	
Gene ID:	10061	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	