.-online.com antibodies

Datasheet for ABIN5007071 anti-PSMC2 antibody (AA 101-200) (Alexa Fluor 750)



Overview

Quantity:	100 µL
Target:	PSMC2
Binding Specificity:	AA 101-200
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PSMC2 antibody is conjugated to Alexa Fluor 750
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MSS1
Isotype:	lgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Horse,Chicken
Purification:	Purified by Protein A.
Target Details	
Target:	PSMC2

Target:	PSMC2
Alternative Name:	MSS1 (PSMC2 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN5007071 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Target DetailsBackground:Synonyms: 26S protease complex, mammalian suppressor of sgv-1 of yeast, MSS1,
Nbla10058, protease 26S subunit 7, proteasome 26S ATPase subunit 2, Proteasome 26S
subunit ATPase 2, proteasome 26S subunit ATPase 2, Protein MSS1, PSMC2, putative protein
product of Nbla10058, S7 antibody, PRS7_HUMAN.
Background: Proteolytic degradation is critical to the maintenance of appropriate levels of
short-lived and regulatory proteins as important and diverse as those involved in cellular
metabolism, heat shock and stress response, antigen presentation, modulation of cell surface
receptors and ion channels, cell cycle regulation, transcription, and signalling factors. The
ubiquitin-proteasome pathway deconstructs most proteins in the eukaryotic cell cytosol and
nucleus. Others are degraded via the vacuolar pathway which includes endosomes, lysosomes
and the endoplasmic reticulum.Gene ID:5701

Pathways:

Mitotic G1-G1/S Phases, DNA Replication, Synthesis of DNA, Ubiquitin Proteasome Pathway

Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN5007071 | 03/07/2024 | Copyright antibodies-online. All rights reserved.