antibodies -online.com





anti-OSTM1 antibody (AA 21-120) (Alexa Fluor 680)



Go to Product page

\sim			
	$ \vee \cap$	r\/I	ΘM

Quantity:	100 μL	
Target:	OSTM1	
Binding Specificity:	AA 21-120	
Reactivity:	Human, Rat, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This OSTM1 antibody is conjugated to Alexa Fluor 680	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human OSTM1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Pig	
Purification:	Purified by Protein A.	

Target Details

Target:	OSTM1
Alternative Name:	OSTM1 (OSTM1 Products)

Target Details

Background:	Synonyms: GL, GIPN, OPTB5, HSPC019, Osteopetrosis-associated transmembrane protein 1,		
	Chloride channel 7 beta subunit, OSTM1, UNQ6098/PRO21201		
	Background: OSTM1 (osteopetrosis associated transmembrane protein 1), also known as gl		
	(gray-lethal) or HSPC019, is a 338 amino acid single-pass type I membrane protein that is		
	expressed primarily in osteoclasts and melanocytes as well as brain, kidney and spleen. Bone		
	autosomal recessive osteopetrosis (ARO) is the most severe form of hereditary bone disease		
	whose cellular basis is in the osteoclast and is characterized by abnormally dense bone, due to		
	defective resorption of immature bone. ARO is suggested to be caused by mutations in the		
	OSTM1 gene. The disorder occurs in two forms: a severe autosomal recessive form occurring		
	in utero, infancy, or childhood, and a benign autosomal dominant form occurring in		
	adolescence or adulthood. Defects in the OSTM1 gene are also the cause of the spontaneous		
	gl mutant, which is responsible for a coat color defect in mice.		
Gene ID:	28962		
UniProt:	Q86WC4		
Application Details			
Application Notes:	FCM 1:20-100		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

Н	land	lına
	iaria	шц

Expiry Date:

12 months