.-online.com antibodies

Datasheet for ABIN5510580 N-Cadherin ELISA Kit

Image



Overview

Quantity:	96 tests
Target:	N-Cadherin (CDH2)
Binding Specificity:	AA 160-724
Reactivity:	Pig
Method Type:	Sandwich ELISA
Application:	ELISA

Product Details


Purpose:	Sandwich High Sensitivity ELISA kit for Quantitative Detection of Pig porcine Cadherin-2/N- Cadherin
Brand:	PicoKine™
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	Expression system for standard: NSO Immunogen sequence: D160-A724
Cross-Reactivity (Details):	There is no detectable cross-reactivity with other relevant proteins.
Target Details	
Target:	N-Cadherin (CDH2)
Alternative Name:	CDH2 (CDH2 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5510580 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	Protein Function: Cadherins are calcium-dependent cell adhesion proteins. They preferentially
	interact with themselves in a homophilic manner in connecting cells, cadherins may thus
	contribute to the sorting of heterogeneous cell types. Acts as a regulator of neural stem cells
	quiescence by mediating anchorage of neural stem cells to ependymocytes in the adult
	subependymal zone: upon cleavage by MMP24, CDH2-mediated anchorage is affected, leading
	to modulate neural stem cell quiescence. CDH2 may be involved in neuronal recognition
	mechanism. In hippocampal neurons, may regulate dendritic spine density (By similarity)
	Background: Cadherin-2(CDH2), also known as neural cadherin(NCAD), is a protein that in
	humans is encoded by the CDH2 gene. It is a classical cadherin from the cadherin superfamily.
	This gene is mapped to 18q12.1. Cadherin-2 is expressed in the brain, skeletal and cardiac
	muscle. Cadherin-2 is commonly found in cancer cells and provides a mechanism for
	transendothelial migration. It is a calcium dependent cell-cell adhesion glycoprotein comprising
	five extracellular cadherin repeats, a transmembrane region and a highly conserved
	cytoplasmic tail. The protein functions during gastrulation and is required for establishment of
	left-right asymmetry. At certain central nervous system synapses, presynaptic to postsynaptic
	adhesion is mediated at least in part by this gene product.
	Synonyms: Cadherin-2,CDw325,Neural cadherin,N-cadherin,CD325,CDH2,CDHN, NCAD,
	Full Gene Name: Cadherin-2
	Cellular Localisation: Cell membrane, Single-pass type I membrane protein.
UniProt:	P19022
Pathways:	Regulation of Muscle Cell Differentiation, Cell-Cell Junction Organization, Synaptic Membrane
Application Detail	S

Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for 6 months, at -20°C for 12 months. Avoid multiple freeze-thaw cycles(Shipped with wet ice.)
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5510580 | 09/10/2023 | Copyright antibodies-online. All rights reserved. Images



ELISA

Image 1. Pig Cadherin-2/N-Cadherin PicoKine ELISA Kit standard curve