

Datasheet for ABIN6932968
anti-VPS35 antibody (Biotin)



[Go to Product page](#)

7 Images

Overview

Quantity:	100 µg
Target:	VPS35
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This VPS35 antibody is conjugated to Biotin
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunofluorescence (IF), Immunocytochemistry (ICC)

Product Details

Immunogen:	Full length recombinant human VSP35
Clone:	8A3
Isotype:	IgG1
Specificity:	Ubiquitous. Highly expressed in brain, colon, heart, kidney, ovary, placenta, skeletal muscle, small intestine, testis, thymus., Detects ~92 kDa.
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Protein G Purified

Target Details

Target:	VPS35
---------	-------

Target Details


Alternative Name:	VPS35 (VPS35 Products)
Background:	Vacuolar Protein Sorter-35 (VPS35) is a component of the retromer complex, which is essential for endosome-to-Golgi retrieval of membrane proteins. VPS35 mutations such as D620N have been linked to Parkinson's Disease (PD) (1,2) and affect retromer function, protein homeostasis, and mitochondria (3).
Gene ID:	55737
NCBI Accession:	NP_060676
UniProt:	Q96QK1

Application Details

Application Notes:	• WB (1:1000) • ICC/IF (1:200) • IP (1:200) • optimal dilutions for assays should be determined by the user. • optimal dilutions for assays should be determined by the user.
Comment:	A 1:1000 dilution of ABIN6932968 was sufficient for detection of VPS35 in 10 µg of SH-SY5Y by ECL immunoblot analysis using Goat Anti-Mouse IgG:HRP as the secondary antibody.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS pH 7.4, 50 % glycerol, 0.09 % Sodium azide, Storage buffer may change when conjugated
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Conjugated antibodies should be stored at 4°C




Immunohistochemistry

Image 1. Immunohistochemistry analysis using Mouse Anti-VPS35 Monoclonal Antibody, Clone 8A3 (ABIN6932968). Tissue: Kidney. Species: Mouse. Primary Antibody: Mouse Anti-VPS35 Monoclonal Antibody (ABIN6932968) at 1:100 for Overnight at 4C, then 30 min at 37C. Secondary Antibody: Goat Anti-Mouse IgG (H+L): FITC for 45 min at 37C. Counterstain: DAPI for 3 min at RT. Magnification: 20X.



Immunoprecipitation

Image 2. Immunoprecipitation analysis using Mouse Anti-VPS35 Monoclonal Antibody, Clone 8A3 (ABIN6932968). Tissue: A549 cells. Species: Human. Primary Antibody: Mouse Anti-VPS35 Monoclonal Antibody (ABIN6932968). 500 μL cell culture supernatants were incubated with 10 μL of Protein A/G resin beads for 1 hour at 4 °C. ABIN6932968 clone 8A3 depletes VPS35 from the A549 cell extract..



Immunocytochemistry

Image 3. Immunocytochemistry/Immunofluorescence analysis using Mouse Anti-VPS35 Monoclonal Antibody, Clone 8A3 (ABIN6932968). Tissue: A549 WT, VPS35 KO cells. Species: Human. Primary Antibody: Mouse Anti-VPS35 Monoclonal Antibody (ABIN6932968). Secondary Antibody: Donkey Anti-Mouse AlexaFluor 594. Clone can detect VPS35 at 1/2000 concentration.

Please check the [product details page](#) for more images. Overall 7 images are available for ABIN6932968.