antibodies.com

Datasheet for ABIN6979868 anti-ADAP2 antibody (AA 201-300) (Alexa Fluor 647)



Overview

Quantity:	100 µL	
Target:	ADAP2	
Binding Specificity:	AA 201-300	
Reactivity:	Human, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ADAP2 antibody is conjugated to Alexa Fluor 647	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Centaurin alpha 2
lsotype:	lgG
Specificity:	Possible cross-reactivity with ADAP1 (85 % homology with the immunogen sequence, 43 kDa)
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	ADAP2

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6979868 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Alternative Name:	Centaurin alpha 2 (ADAP2 Products)	
Background:	Synonyms: ADAP2, ADAP2_HUMAN, Arf-GAP with dual PH domain-containing protein 2, ArfGAF	
	with dual PH domains 2, cent b, Centa 2, CENTA2, Centaurin alpha 2, Centaurin alpha 2 protein,	
	Centaurin beta, Centaurin-alpha-2, Cnt-a2, HSA272195.	
	Background: The ADP-ribosylation factor (ARF) family of small GTP-binding proteins are	
	involved in vesicular transport regulation and in controlling cytoskeletal organization and cell	
	adhesion. The Centaurin GTPase-activating protein family comprise a subset of ARF regulatory	
	molecules that transduce PI 3-kinase activation into coordinated control of ARF-dependent	
	pathways. This family includes ASAP1, ACAP1, ACAP2, AGAP1, ARAP1, ARAP2, Centaurin a1,	
	Centaurin g3 and the recently discovered Centaurin a2. Expressed in a wide variety of tissues	
	such as fat, heart and skeletal muscle, Centaurin a2 is thought to negatively regulate ARF-	
	mediated actin rearrangement by binding activated PI 3-kinase. Although the exact function of	
	Centaurin a2 is not yet known, its high sequence similarity with Centaurin a1 suggests that it	
	may also act as an ARF6 GTPase.	
Gene ID:	55803	
UniProt:	Q9NPF8	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN6979868 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

lond	lina
land	
10110	

Storage Comment:

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date:

12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN6979868 | 03/07/2024 | Copyright antibodies-online. All rights reserved.