antibodies -online.com





anti-HSD17B13 antibody (AA 171-270) (AbBy Fluor® 750)



Go to Product page

()	۱ ۱	\cap	r	/1	\cap	۱ ۸	1
0	'V	ㄷ	I١	νı	\Box	V	۷

Quantity:	100 μL
Target:	HSD17B13
Binding Specificity:	AA 171-270
Reactivity:	Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HSD17B13 antibody is conjugated to AbBy Fluor® 750
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human HSD17B13	
Isotype:	IgG	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human,Dog,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	HSD17B13
Alternative Name:	HSD17B13 (HSD17B13 Products)

Target Details

Background:	Synonyms: 17-beta-HSD 13, 17-beta-hydroxysteroid dehydrogenase 13, DHB13_HUMAN, HMFN0376, Hsd17b13, SCDR9, SDR16C3, Short-chain dehydrogenase/reductase 9,		
	UNQ497/PR01014.		
	Background: 17 beta-HSD13 (17 beta hydroxysteroid dehydrogenase type 13), also designated		
	Short-chain dehydrogenase/reductase 9 (SCDR9), belongs to the 17 beta-HSD family of		
	proteins, which regulate the availability of steroids within various tissues throughout the body.		
	17 beta-HSD13 is a 300 amino acid secreted protein that is highly expressed in liver and is also		
	detected in ovary, bone marrow, kidney, brain, lung, skeletal muscle, bladder and testis. The		
	gene encoding 17 beta-HSD13 maps to chromosome 4, which houses nearly 6 % of the human		
	genome and has the largest gene deserts (regions of the genome with no protein encoding		
	genes) of all of the human chromosomes. Defects in some of the genes located on		
	chromosome 4 are associated with Huntington's disease, Ellis-van Creveld syndrome,		
	methylmalonic acidemia and polycystic kidney disease.		
Gene ID:	345275		
UniProt:	Q7Z5P4		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
Application Notes.	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

\vdash	land	lına
	iaria	шц

Expiry Date:

12 months