# antibodies -online.com





## anti-SCG5 antibody (AA 1-100) (Cy3)



Go to Product page

( )	11/	IN	/ie	A .
	/ // <del> </del>	۱ ات	/   (−	' \/\/

Quantity:	100 μL	
Target:	SCG5	
Binding Specificity:	AA 1-100	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SCG5 antibody is conjugated to Cy3	
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Secretogranin-5	
Isotype:	IgG	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human,Dog,Cow,Sheep,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

### **Target Details**

Target:	SCG5
Alternative Name:	Secretogranin-5 (SCG5 Products)

## Target Details

9			
Background:	Synonyms: 7B2, SgV, P7B2, SGNE1, Neuroendocrine protein 7B2, Pituitary polypeptide,		
	Secretogranin V, Secretogranin-5, Secretory granule endocrine protein I, SCG5		
	Background: Acts as a molecular chaperone for PCSK2/PC2, preventing its premature		
	activation in the regulated secretory pathway. Binds to inactive PCSK2 in the endoplasmic		
	reticulum and facilitates its transport from there to later compartments of the secretory		
	pathway where it is proteolytically matured and activated. Also required for cleavage of PCSK2		
	but does not appear to be involved in its folding. Plays a role in regulating pituitary hormone		
	secretion. The C-terminal peptide inhibits PCSK2 in vitro.		
Gene ID:	6447		
UniProt:	P05408		
Application Details			
Application Notes:	FCM 1:20-100		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		