# antibodies -online.com





# anti-DAZ2 antibody (AA 51-150) (Cy3)



Go to Product page

( )	11/0	K\ /	iew	1
	$\cup$	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL	
Target:	DAZ2	
Binding Specificity:	AA 51-150	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DAZ2 antibody is conjugated to Cy3	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human DAZ2	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Cow,Sheep,Pig,Horse	
Purification:	Purified by Protein A.	

## Target Details

Target:	DAZ2
Alternative Name:	DAZ2 (DAZ2 Products)

## **Target Details**

Background:	Synonyms: DAZ2, DAZ2_HUMAN, DAZ3, Deleted in azoospermia 2, Deleted in azoospermia		
	protein 2, Deleted in azoospermia protein 3, MGC126442, pDP1678, DAZ1, DAZ4, DAZL		
	Background: This gene is a member of the DAZ gene family and is a candidate for the human Y-		
	chromosomal azoospermia factor (AZF). Its expression is restricted to premeiotic germ cells,		
	particularly in spermatogonia. It encodes an RNA-binding protein that is important for		
	spermatogenesis. Four copies of this gene are found on chromosome Y within palindromic		
	duplications, one pair of genes is part of the P2 palindrome and the second pair is part of the P1		
	palindrome. Each gene contains a 2.4 kb repeat including a 72-bp exon, called the DAZ repeat,		
	the number of DAZ repeats is variable and there are several variations in the sequence of the		
	DAZ repeat. Each copy of the gene also contains a 10.8 kb region that may be amplified, this		
	region includes five exons that encode an RNA recognition motif (RRM) domain. This gene		
	contains one copy of the 10.8 kb repeat. Alternative splicing results in multiple transcript		
	variants encoding different isoforms. [provided by RefSeq, Jul 2008]		
Gene ID:	57055		
UniProt:	Q13117		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

$\vdash$	land	lına
1	iariu	my

Expiry Date:

12 months