antibodies .- online.com





anti-SLC47A1 antibody (AA 211-310) (Cy3)



		1 3 -

0	1 /	0	K	/ 1	\sim	1 /	١.
	1//	\vdash	ı ۱	71	\vdash	W	W

Overview	
Quantity:	100 μL
Target:	SLC47A1
Binding Specificity:	AA 211-310
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC47A1 antibody is conjugated to Cy3
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human SLC47A1
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.
Target Details	
Target:	SLC47A1
Alternative Name:	SLC47A1 (SLC47A1 Products)
Background:	Synonyms: 1A1, AIM 1, AIM1, MATP, Melanoma antigen AIM1, Membrane associated

transporter, Membrane associated transporter protein, Membrane-associated transporter

protein, Protein AIM 1, Protein AIM-1, Protein AIM1, S45A2_HUMAN, SHEP5, SLC45A2, Solute
carrier family 45 member 2, Underwhite.

Background: Solute transporter for tetraethylammonium (TEA), 1-methyl-4-phenylpyridinium (MPP), cimetidine, N-methylnicotinamide (NMN), metformin, creatinine, guanidine, procainamide, topotecan, estrone sulfate, acyclovir, ganciclovir and also the zwitterionic cephalosporin, cephalexin and cephradin. Seems to also play a role in the uptake of oxaliplatin (a new platinum anticancer agent). Able to transport paraquat (PQ or N,N-dimethyl-4-4'-bipiridinium), a widely used herbicid. Responsible for the secretion of cationic drugs across the brush border membranes.

Gene ID: 55244

UniProt: Q96FL8

Application Details

Application Notes: IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months