

Datasheet for ABIN6988633 anti-FAK antibody (pTyr397) (PE)

Overview

Target Details

Target:



Go to Product page

Overview	
Quantity:	100 μL
Target:	FAK (PTK2)
Binding Specificity:	pTyr397
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAK antibody is conjugated to PE
Application:	Western Blotting (WB), Flow Cytometry (FACS)
Product Details	
Immunogen:	KLH cunjugated synthetic phosphopeptide derived from human FAK 1 around the phosphorylation site of Tyr397
Isotype:	IgG
Specificity:	This phosphorylation site is homologous to that of Tyr428 in Mouse and Tyr397 in Rat.
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

FAK (PTK2)

Target Details

Alternative Name:	FAK (PTK2 Products)
Background:	Synonyms: FAK, FADK, FAK1, FRNK, PPP1R71, p125FAK, pp125FAK, Focal adhesion kinase 1, FADK 1, Focal adhesion kinase-related nonkinase, Protein phosphatase 1 regulatory subunit 71,
	Protein-tyrosine kinase 2, PTK2
	Background: This gene encodes a cytoplasmic protein tyrosine kinase which is found
	concentrated in the focal adhesions that form between cells growing in the presence of
	extracellular matrix constituents. The encoded protein is a member of the FAK subfamily of
	protein tyrosine kinases but lacks significant sequence similarity to kinases from other
	subfamilies. Activation of this gene may be an important early step in cell growth and
	intracellular signal transduction pathways triggered in response to certain neural peptides or to
	cell interactions with the extracellular matrix. Several transcript variants encoding different
	isoforms have been found for this gene, but the full-length natures of only three of them have
	been determined. [provided by RefSeq, Dec 2010]
Gene ID:	5747
UniProt:	Q05397
Pathways:	Response to Growth Hormone Stimulus, CXCR4-mediated Signaling Events, Smooth Muscle
	Cell Migration, Signaling of Hepatocyte Growth Factor Receptor, VEGF Signaling
Application Details	
Application Notes:	FCM 1:20-100
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months