antibodies - online.com







anti-IDI1 antibody (AA 31-130) (Biotin)



\sim	
()\/白	rview
OVC	

Quantity:	100 μL
Target:	IDI1
Binding Specificity:	AA 31-130
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IDI1 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunoprecipitation (IP), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human IDI1
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Cow,Pig,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	IDI1
Alternative Name:	IDI1 (IDI1 Products)

Target Details

•	
Background:	Synonyms: IDI1, IPP isomerase 1, IPPI1, Isopentenyl diphosphate Delta isomerase 1,
	isopentenyl diphosphate dimethylallyl diphosphate isomerase 1, Isopentenyl pyrophosphate
	isomerase 1, IDI1_HUMAN.
	Background: IDI1 is a peroxisomally localized enzyme that catalyzes the interconversion of
	isopentenyl diphosphate (IPP) to its highly electrophilic isomer, dimethylallyl diphosphate
	(DMAPP). These are substrates for the reactions that ultimately result in the synthesis of
	cholesterol. There is reduction in IPP isomerase activity in peroxisomal deficiency diseases
	such as Zellweger syndrome and neonatal adrenoleukodystrophy.
Gene ID:	3422
UniProt:	Q13907
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IP(1-2 μg)
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months