
antibodies - online.com







anti-SUN1 antibody (AA 2-105)





Overview

Quantity:	100 μL
Target:	SUN1
Binding Specificity:	AA 2-105
Reactivity:	Arabidopsis thaliana
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SUN1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Recombinant Arabidopsis thaliana SUN domain-containing protein 1 protein (2-105AA)
Isotype:	IgG
Cross-Reactivity:	Arabidopsis thaliana
Purification:	>95%, Protein G purified

Target Details

Target:	SUN1
Alternative Name:	SUN1 (SUN1 Products)
Background:	Background: Component of SUN-protein-containing multivariate complexes also called LINC complexes which link the nucleoskeleton and cytoskeleton by providing versatile outer nuclear

membrane attachment sites for cytoskeletal filaments (PubMed: 24667841, PubMed: 25759303). Required for the maintenance and/or formation of polarized nuclear shape in root hairs (PubMed: 21294795, PubMed: 25759303). Modulates the anchoring and mobility of WIP proteins and RANGAP1 in the nuclear envelope (NE) (PubMed: 22270916). In association with SUN2, may be involved in telomere attachment to nuclear envelope in the prophase of meiosis (PubMed: 25412930). As component of the SUN-WIP-WIT2-KAKU1 complex, mediates the transfer of cytoplasmic forces to the nuclear envelope (NE), leading to nuclear shape changes (PubMed: 25759303).

Aliases: SUN1 antibody, At5g04990 antibody, MUG13.15 antibody, SUN domain-containing protein 1 antibody, AtSUN1 antibody

UniProt: Q9FF75

Pathways: Maintenance of Protein Location


Application Details

Application Notes: Recommended dilution: WB:1:500-1:2000,

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot Positive WB detected in: Spinacia oleracea leaf tissue All lanes: SUN1 antibody at 1:1000 Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 52 kDa Observed band size: 52 kDa