



[Go to Product page](#)

Datasheet for ABIN7146014
anti-CCL7 antibody (AA 24-99)

1 Image

Overview

Quantity:	100 µg
Target:	CCL7
Binding Specificity:	AA 24-99
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCL7 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Recombinant Human C-C motif chemokine 7 protein (24-99AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	CCL7
Alternative Name:	CCL7 (CCL7 Products)
Background:	Background: Chemotactic factor that attracts monocytes and eosinophils, but not neutrophils. Augments monocyte anti-tumor activity. Also induces the release of gelatinase B. This protein

Target Details

can bind heparin. Binds to CCR1, CCR2 and CCR3.

Aliases: C-C motif chemokine 7 antibody, Ccl7 antibody, CCL7_HUMAN antibody, Chemokine CC motif ligand 7 antibody, FIC antibody, MARC antibody, MCP-3 antibody, Monocyte chemoattractant protein 3 antibody, Monocyte chemotactic protein 3 antibody, NC28 antibody, RP23-350G1.4 antibody, SCYA6 antibody, SCYA7 antibody, Small-inducible cytokine A7 antibody

UniProt: [P80098](#)

Application Details

Application Notes: Recommended dilution: WB:1:1000-1:5000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western blot All lanes: CCL7 antibody at 2 μ g/mL + 293T whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/15000 dilution Predicted band size: 12 kDa Observed band size: 48, 90 kDa