# antibodies -online.com





### Datasheet for ABIN714721

# anti-ARHGAP24 antibody (AA 501-600) (Cy5.5)



#### Go to Product page

( )	1/0	r\ / I	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	ARHGAP24
Binding Specificity:	AA 501-600
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ARHGAP24 antibody is conjugated to Cy5.5
Application:	Western Blotting (WB)

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human ARHGAP24
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat
Purification:	Purified by Protein A.

## Target Details

Target:	ARHGAP24	
Alternative Name:	ARHGAP24 (ARHGAP24 Products)	
Background:	Synonyms: Rho GTPase-activating protein 24, Filamin-A-associated RhoGAP, FilGAP, RAC1-and CDC42-specific GTPase-activating protein of 72 kDa, RC-GAP72, Rho-type GTPase-	

	activating protein 24, RhoGAP of 73 kDa, Sarcoma antigen NY-SAR-88, p73RhoGAP,	
	ARHGAP24, FILGAP	
	Background: Rho GTPase-activating protein involved in cell polarity, cell morphology and	
	cytoskeletal organization. Acts as a GTPase activator for the Rac-type GTPase by converting it	
	to an inactive GDP-bound state. Controls actin remodeling by inactivating Rac downstream of	
	Rho leading to suppress leading edge protrusion and promotes cell retraction to achieve	
	cellular polarity. Able to suppress RAC1 and CDC42 activity in vitro. Overexpression induces cell	
	rounding with partial or complete disruption of actin stress fibers and formation of membrane	
	ruffles, lamellipodia, and filopodia. Isoform 2 is a vascular cell-specific GAP involved in	
	modulation of angiogenesis.	
Gene ID:	83478	
UniProt:	Q8N264	
Pathways:	Regulation of Cell Size, Positive Regulation of Response to DNA Damage Stimulus	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	