antibodies .- online.com







anti-DNAJC1 antibody (AA 521-793) (HRP)



Go to Product pag

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	DNAJC1
Binding Specificity:	AA 521-793
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DNAJC1 antibody is conjugated to HRP
Application:	ELISA

Product Details

Immunogen:	Recombinant Human DnaJ homolog subfamily C member 10 protein (521-793AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	Antigen Affinity Purified	

Target Details

Target:	DNAJC1
Alternative Name:	DNAJC1 (DNAJC1 Products)
Background:	Background: Endoplasmic reticulum disulfide reductase involved both in the correct folding of
	proteins and degradation of misfolded proteins. Required for efficient folding of proteins in the

endoplasmic reticulum by catalyzing the removal of non-native disulfide bonds formed during the folding of proteins, such as LDLR. Also involved in endoplasmic reticulum-associated degradation (ERAD) by reducing incorrect disulfide bonds in misfolded glycoproteins recognized by EDEM1. Interaction with HSPA5 is required its activity, not for the disulfide reductase activity, but to facilitate the release of DNAJC10 from its substrate. Promotes apoptotic signaling pathway in response to endoplasmic reticulum stress.

Aliases: DNAJC10 antibody, ERDJ5 antibody, UNQ495/PRO1012DnaJ homolog subfamily C member 10 antibody, EC 1.8.4.- antibody, Endoplasmic reticulum DNA J domain-containing protein 5 antibody, ER-resident protein ERdj5 antibody, ERdj5 antibody, Macrothioredoxin antibody, MTHr antibody

UniProt:

Q8IXB1

Pathways:

Chromatin Binding

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.