antibodies - online.com







anti-RBBP7 antibody (AA 1-425)





Overview

Quantity:	100 μg
Target:	RBBP7
Binding Specificity:	AA 1-425
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RBBP7 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Recombinant Human Histone-binding protein RBBP7 protein (1-425AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	RBBP7
Alternative Name:	RBBP7 (RBBP7 Products)
Background:	Background: Core histone-binding subunit that may target chromatin remodeling factors, histone acetyltransferases and histone deacetylases to their histone substrates in a manner

that is regulated by nucleosomal DNA. Component of several complexes which regulate chromatin metabolism. These include the type B histone acetyltransferase (HAT) complex, which is required for chromatin assembly following DNA replication, the core histone deacetylase (HDAC) complex, which promotes histone deacetylation and consequent transcriptional repression, the nucleosome remodeling and histone deacetylase complex (the NuRD complex), which promotes transcriptional repression by histone deacetylation and nucleosome remodeling, and the PRC2/EED-EZH2 complex, which promotes repression of homeotic genes during development, and the NURF (nucleosome remodeling factor) complex. Aliases: G1/S transition control protein binding protein RbAp46 antibody, Histone acetyltransferase type B subunit 2 antibody, Histone binding protein RBBP7 antibody, Histonebinding protein RBBP7 antibody, MGC138867 antibody, MGC138868 antibody, Nucleosome remodeling factor subunit RBAP46 antibody, Nucleosome-remodeling factor subunit RBAP46 antibody, RBAP46 antibody, RBBP 7 antibody, RBBP-7 antibody, RBBP7 antibody, RBBP7_HUMAN antibody, Retinoblastoma binding protein 7 antibody, Retinoblastoma binding protein p46 antibody, Retinoblastoma-binding protein 7 antibody, Retinoblastoma-binding protein p46 antibody, Retinoblastoma-binding protein RbAp46 antibody

UniProt:


Q16576

Application Details

Application Notes:

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Recommended dilution: WB:1:1000-1:5000,



Western Blotting

Image 1. Western blot All lanes: RBBP7 antibody at $10\,\mu$ g/mL + 293T whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 48, 53 kDa Observed band size: 48 kDa