

# Datasheet for ABIN7155520 anti-SETD7 antibody (AA 1-218) (HRP)



Go to Product page

_					
	W	0	rv	10	W

Quantity:	100 μg
Target:	SETD7
Binding Specificity:	AA 1-218
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SETD7 antibody is conjugated to HRP
Application:	ELISA

#### **Product Details**

Immunogen:	Recombinant Human Histone-lysine N-methyltransferase SETD7 protein (1-218AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

## Target Details

Target:	SETD7
Alternative Name:	SETD7 (SETD7 Products)
Background:	Background: Histone methyltransferase that specifically monomethylates \\\'Lys-4\\\' of
	histone H3. H3 \\\'Lys-4\\\' methylation represents a specific tag for epigenetic transcriptional

activation. Plays a central role in the transcriptional activation of genes such as collagenase or insulin. Recruited by IPF1/PDX-1 to the insulin promoter, leading to activate transcription. Has also methyltransferase activity toward non-histone proteins such as p53/TP53, TAF10, and possibly TAF7 by recognizing and binding the [KR]-[STA]-K in substrate proteins.

Monomethylates \\\'Lys-189\\\' of TAF10, leading to increase the affinity of TAF10 for RNA polymerase II. Monomethylates \\\'Lys-372\\\' of p53/TP53, stabilizing p53/TP53 and increasing p53/TP53-mediated transcriptional activation.

Aliases: FLJ21193 antibody, H3 K4 HMTase antibody, H3-K4-HMTase SETD7 antibody, H4 lysine 4 specific antibody, Histone H3 K4 methyltransferase antibody, Histone H3 lysine 4 specific methyltransferase antibody, Histone H3-K4 methyltransferase SETD7 antibody, Histone H4 K4 methyltransferase antibody, Histone lysine N methyltransferase antibody, Histone lysine N methyltransferase H3 lysine 4 specific SET7 antibody, Histone-lysine N-methyltransferase SETD7 antibody, KIAA1717 antibody, KMT7 antibody, Lysine methyltransferase antibody, Lysine N-methyltransferase 7 antibody, OTTHUMP00000164543 antibody, OTTHUMP00000220049 antibody, SET 7 antibody, SET 7/9 antibody, SET 9 antibody, SET D7 antibody, SET domain containing (lysine methyltransferase) 7 antibody, SET domain containing protein 7 antibody, SET domain containing protein 8 antibody, SET domain-containing protein 7 antibody, SET7 antibody, SET7/9 antibody, SET9 antibody, Setd7 antibody, SETD7\_HUMAN antibody

UniProt:

Q8WTS6

## Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	

#### Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	

Storage Comment:

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.