antibodies -online.com





anti-NAT8 antibody (AA 64-227) (Biotin)



Overview

Quantity:	100 μg
Target:	NAT8
Binding Specificity:	AA 64-227
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NAT8 antibody is conjugated to Biotin
Application:	ELISA

Product Details

Immunogen:	Recombinant Human N-acetyltransferase 8 protein (64-227AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	NAT8
Alternative Name:	NAT8 (NAT8 Products)
Background:	Background: Acetylates the free alpha-amino group of cysteine S-conjugates to form
	mercapturic acids (PubMed:20392701). This is the final step in a major route for detoxification

of a wide variety of reactive electrophiles which starts with their incorporation into glutathione S-conjugates. The glutathione S-conjugates are then further processed into cysteine S-conjugates and finally mercapturic acids which are water soluble and can be readily excreted in urine or bile. Alternatively, may have a lysine N-acetyltransferase activity catalyzing peptidyllysine N6-acetylation of various proteins. Thereby, may regulate apoptosis through the acetylation and the regulation of the expression of PROM1 (PubMed:24556617). May also regulate amyloid beta-peptide secretion through acetylation of BACE1 and the regulation of its expression in neurons (PubMed:19011241).

Aliases: acetyltransferase 2 antibody, ATase2 antibody, Camello, Xenopus, homolog of, 1 antibody, Camello-like protein 1 antibody, CML1 antibody, cysteinyl-conjugate N-acetyltransferase antibody, GLA antibody, Hcml1 antibody, kidney- and liver-specific gene product antibody, N-acetyltransferase 8 (camello like) antibody, N-acetyltransferase 8 (GCN5-related, putative) antibody, N-acetyltransferase 8 antibody, NAT8 antibody, NAT8_HUMAN antibody, Probable N-acetyltransferase 8 antibody, TSC501 antibody, TSC510 antibody

UniProt:

Q9UHE5

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.