



Datasheet for ABIN7161917
anti-NRBP1 antibody (AA 406-535)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	NRBP1
Binding Specificity:	AA 406-535
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NRBP1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Nuclear receptor-binding protein (406-535AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified

Target Details

Target:	NRBP1
Alternative Name:	NRBP1 (NRBP1 Products)
Background:	Background: May play a role in subcellular trafficking between the endoplasmic reticulum and Golgi apparatus through interactions with the Rho-type GTPases. Binding to the NS3 protein of

Target Details

dengue virus type 2 appears to subvert this activity into the alteration of the intracellular membrane structure associated with flaviviral replication.

Aliases: BCON3 antibody, MADM antibody, MUDPNP antibody, Multiple domain putative nuclear protein antibody, Myeloid leukemia factor 1 adaptor molecule antibody, NRBP antibody, NRBP_HUMAN antibody, NRBP1 antibody, Nuclear receptor binding protein antibody, Nuclear receptor-binding protein antibody

UniProt: [Q9UHY1](#)

Pathways: [Nuclear Receptor Transcription Pathway](#)

Application Details

Application Notes: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human testis tissue using ABIN7161917 at dilution of 1:100



Western Blotting

Image 2. Western blot All lanes: NRBP1 antibody at 1.99 μ g/mL + HepG2 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 60 kDa Observed band size: 60 kDa