

Datasheet for ABIN7167163  
**anti-RASGRP1 antibody (AA 594-716)**



[Go to Product page](#)

1 Image

## Overview

Quantity:	100 µg
Target:	RASGRP1
Binding Specificity:	AA 594-716
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RASGRP1 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (IF)

## Product Details

Immunogen:	Recombinant Human RAS guanyl-releasing protein 1 protein (594-716AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

## Target Details

Target:	RASGRP1
Alternative Name:	RASGRP1 ( <a href="#">RASGRP1 Products</a> )
Background:	Background: Functions as a calcium- and diacylglycerol (DAG)-regulated nucleotide exchange factor specifically activating Ras through the exchange of bound GDP for GTP

## Target Details

---

(PubMed:15899849, PubMed:23908768). Activates the Erk/MAP kinase cascade (PubMed:15899849). Regulates T-cell/B-cell development, homeostasis and differentiation by coupling T-lymphocyte/B-lymphocyte antigen receptors to Ras (PubMed:10807788, PubMed:12839994). Regulates NK cell cytotoxicity and ITAM-dependent cytokine production by activation of Ras-mediated ERK and JNK pathways (PubMed:19933860). Functions in mast cell degranulation and cytokine secretion, regulating FcERI-evoked allergic responses (By similarity). May also function in differentiation of other cell types (PubMed:12845332).  
Aliases: RASGRP1 antibody, RASGRPRAS guanyl-releasing protein 1 antibody, Calcium and DAG-regulated guanine nucleotide exchange factor II antibody, CalDAG-GEFII antibody, Ras guanyl-releasing protein antibody

---

UniProt: [O95267](#)

---

Pathways: [TCR Signaling](#), [Fc-epsilon Receptor Signaling Pathway](#)

## Application Details

---

Application Notes: Recommended dilution: IF:1:50-1:200,

---

Restrictions: For Research Use only

## Handling

---

Format: Liquid

---

Buffer: Preservative: 0.03 % Proclin 300  
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

---

Preservative: ProClin

---


Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

---

Storage: -20 °C,-80 °C

---

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



### Immunofluorescence

**Image 1.** Immunofluorescent analysis of HepG2 cells using ABIN7167163 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)