



[Go to Product page](#)

Datasheet for ABIN7171966
anti-TAB3 antibody (AA 361-712)

2 Images

Overview

Quantity:	100 µg
Target:	TAB3
Binding Specificity:	AA 361-712
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TAB3 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	Recombinant Human TGF-beta-activated kinase 1 and MAP3K7-binding protein 3 protein (361-712AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	TAB3
Alternative Name:	TAB3 (TAB3 Products)
Background:	Background: Adapter linking MAP3K7/TAK1 and TRAF6 or TRAF2. Mediator of MAP3K7

Target Details

activation, respectively in the IL1 and TNF signaling pathways. Plays a role in activation of NF-kappa-B and AP1 transcription factor. Isoform 2 may be an oncogenic factor.

Aliases: MAP3K7IP 3 antibody, Mitogen-activated protein kinase kinase 7-interacting protein 3 antibody, NAP1 antibody, NF-kappa-B-activating protein 1 antibody, NFkB activating protein 1 antibody, TAB-3 antibody, Tab3 antibody, TAB3_HUMAN antibody, TAK1 binding protein 3 antibody, TAK1-binding protein 3 antibody, TGF-beta-activated kinase 1 and MAP3K7-binding protein 3 antibody, TGF-beta-activated kinase 1-binding protein 3 antibody

UniProt: [Q8N5C8](#)

Pathways: [TLR Signaling](#), [Fc-epsilon Receptor Signaling Pathway](#), [Activation of Innate immune Response](#), [Toll-Like Receptors Cascades](#)

Application Details

Application Notes: Recommended dilution: IHC:1:20-1:200, IF:1:50-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunofluorescence

Image 1. Immunofluorescent analysis of A549 cells using ABIN7171966 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)



Immunohistochemistry

Image 2. Immunohistochemistry analysis of human skeletal muscle tissue using ABIN7171966 at dilution of 1:100