Datasheet for ABIN721305 anti-MAGEA12 antibody (AA 121-210) (Cy5.5)

-online.com antibodies



$\sim$		•
()\/	erv	iew
$\bigcirc$ v		

Quantity:	100 µL
Target:	MAGEA12
Binding Specificity:	AA 121-210
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MAGEA12 antibody is conjugated to Cy5.5
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MAGEA12
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified by Protein A.

## Target Details

Target:	MAGEA12
Alternative Name:	MAGEA12 (MAGEA12 Products)
Background:	Synonyms: Cancer/testis antigen 1.12, Cancer/testis antigen family 1 member 12, CT1.12,

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN721305 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

## Target Details

	MAGAC_HUMAN, MAGE 12 antigen, MAGE-12 antigen, MAGE12, MAGE12 antigen, MAGE12F,
	MAGE12F antigen, MAGEA12, Melanoma antigen family A 12, Melanoma associated antigen
	12, Melanoma-associated antigen 12.
	Background: Not known, though may play a role in tumor transformation or aspects of tumor
	progression. Tissue specificity: Expressed in many tumors of several types, such as melanoma,
	head and neck squamous cell carcinoma, lung carcinoma and breast carcinoma, but not in
	normal tissues except for testes.
Gene ID:	4111
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months