

Datasheet for ABIN724014 anti-AIF antibody (AA 131-230) (Cy5)



_			
()	V/C	rv	٨/

Quantity:	100 μL
Target:	AIF (AIFM1)
Binding Specificity:	AA 131-230
Reactivity:	Human, Mouse, Rat, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AIF antibody is conjugated to Cy5
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human AIF
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Pig, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	AIF (AIFM1)
Alternative Name:	AIF (AIFM1 Products)

Target Details

Background:	Synonyms: AIF, CMT2D, CMTX4, COWCK, NADMR, NAMSD, PDCD8, COXPD6, Apoptosis-	
	inducing factor 1, mitochondrial, Programmed cell death protein 8, AIFM1	
	Background: Functions both as NADH oxidoreductase and as regulator of apoptosis. In	
	response to apoptotic stimuli, it is released from the mitochondrion intermembrane space into	
	the cytosol and to the nucleus, where it functions as a proapoptotic factor in a caspase-	
	independent pathway. In contrast, functions as an antiapoptotic factor in normal mitochondria	
	via its NADH oxidoreductase activity. The soluble form (AIFsol) found in the nucleus induces	
	'parthanatos' i.e. caspase-independent fragmentation of chromosomal DNA. Interacts with	
	EIF3G,and thereby inhibits the EIF3 machinery and protein synthesis, and activates casapse-7	
	to amplify apoptosis. Plays a critical role in caspase-independent, pyknotic cell death in	
	hydrogen peroxide-exposed cells. Binds to DNA in a sequence-independent manner.	
Gene ID:	9131	
UniProt:	095831	
Pathways:	Apoptosis, Positive Regulation of Endopeptidase Activity, Cell RedoxHomeostasis, Smooth	
	Muscle Cell Migration, Warburg Effect	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months