antibodies - online.com







anti-Elastin antibody



Overview

Quantity:	100 μL
Target:	Elastin (ELN)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Elastin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Target:

Alternative Name:

Purpose:	Polyclonal Antibody to Elastin (ELN)
Immunogen:	OVA Conjugated Elastin (ELN)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ELN. It has been selected for its ability to recognize ELN in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Elastin (ELN)

Elastin (ELN Products)

Target Details

WBS, WS, SVAS, Tropoelastin, Supravalvular Aortic Stenosis, Williams-Beuren Syndrome
Regulation of Actin Filament Polymerization
Immunocytochemistry in formalin fixed cells: 5-20 μg/mL Immunohistochemistry in formalin
fixed frozen section: 5-20 μg/mL Immunohistochemistry in paraffin section: 5-20 μg/mL
Enzyme-linked Immunosorbent Assay: 0.05-2 µg/mL Optimal working dilutions must be
determined by end user.
The thermal stability is described by the loss rate. The loss rate was determined by accelerated
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
degradation and precipitation were observed. The loss rate is less than 5% within the expiration
date under appropriate storage condition.
For Research Use only
Liquid
0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
ProClin
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
handled by trained staff only.
4 °C,-20 °C
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
detectable loss of activity. Avoid repeated freeze-thaw cycles.
24 months