



[Go to Product page](#)

Datasheet for ABIN7448102

## SARS-CoV-2 Spike Protein (BQ.1.1 - Omicron, Trimer) (Biotin,His-Avi Tag)

### Overview

Quantity:	200 µg
Target:	SARS-CoV-2 Spike
Protein Characteristics:	BQ.1.1 - Omicron, Trimer
Origin:	SARS Coronavirus-2 (SARS-CoV-2), SARS CoV-2 Omicron
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SARS-CoV-2 Spike protein is labelled with Biotin,His-Avi Tag.

### Product Details

Purpose:	Biotinylated SARS-CoV-2 Spike Trimer Protein, His,Avitag™ (BQ.1.1/Omicron) (MALS verified)
Sequence:	Val 16 - Pro 1213
Characteristics:	Biotinylated SARS-CoV-2 Spike Trimer, His,Avitag (BQ.1.1/Omicron) is expressed from human 293 cells (HEK293). It contains AA Val 16 - Pro 1213 (Accession # QHD43416.1 (T19I, LPP24-26del, A27S, HV69-70del, G142D, V213G, G339D, R346T, S371F, S373P, S375F, T376A, D405N, R408S, K417N, N440K, K444T, L452R, N460K, S477N, T478K, E484A, F486V, Q498R, N501Y, Y505H, D614G, H655Y, N679K, P681H, N764K, D796Y, Q954H, N969K, R683A, R685A, F817P, A892P, A899P, A942P, K986P, V987P).
Purity:	95,00 %
Endotoxin Level:	1.0 EU per µg
Grade:	MALS verified

## Target Details

---

Target: SARS-CoV-2 Spike

---

Abstract: [SARS-CoV-2 Spike Products](#)

---

Background: Synonyms:Spike,S protein,Spike glycoprotein,S glycoprotein,Description:It's been reported that coronavirus can infect the human respiratory epithelial cells through interaction with the human ACE2 receptor. The spike protein is a large type I transmembrane protein containing two subunits, S1 and S2. S1 mainly contains a receptor binding domain (RBD), which is responsible for recognizing the cell surface receptor. S2 contains basic elements needed for the membrane fusion.The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.

---

Molecular Weight: 139.4 kDa

---

## Application Details

---

Comment: This protein carries a polyhistidine tag at the C-terminus, followed by an Avi tag (Avitag™). The protein has a calculated MW of 139.4 kDa. The protein migrates as 170-200 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.

---

Restrictions: For Research Use only

---

## Handling

---

Format: Lyophilized

---

Buffer: PBS

---

Storage: -20 °C

---

Storage Comment: -20°C

---