antibodies -online.com





anti-CCR6 antibody (PE)



Overview

Quantity	
Quantity:	20 tests
Target:	CCR6
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CCR6 antibody is conjugated to PE
Application:	Flow Cytometry (FACS)
Product Details	
Clone:	G034E3
Isotype:	IgG2b, kappa
Target Details	

Target:	CCR6
Alternative Name:	CD196/CCR6 (CCR6 Products)
Background:	CKRL3, CMKBR6, GPR29, STRL22,GPRCY4,CCR6, also known as CD196/CCR6, is a chemokine
	receptor that is expressed on immature dendritic cells, B lymphocytes, and memory T cells.
	CCR6 binds CCL20, although members of the $\boldsymbol{\beta}$ defensin family also bind CCR6 with a lower
	affinity. CCR6 positive cells, and its ligand CCL20, have been detected in numerous organs,
	especially the secondary lymphoid organ. CCL20 is selectively made by the follicle-associated
	epithelium (FAE) overlying Peyers Patches (PPs) and isolated lymphoid follicles (ILFs). CCL20

Storage Comment:

	contributes to the recruitment of CCR6-expressing B cells to these structures. In humans, CCR6 can function to mediate arrest of T cells on dermal endothelial cells and is highly expressed on T cells resident in both normal and psoriatic skin. CCR6 and/or CCL20 have been implicated in the pathogenesis of rheumatoid arthritis and inflammatory bowel disease. Human T cells that are able to produce IL-17 express CCR6. It suggests that CCL20 and CCR6 have a role in inflammatory diseases by recruiting Th17 cells to target tissues.
Gene ID:	1235
UniProt:	P51684
Pathways:	cAMP Metabolic Process
Application Details	
Application Notes:	The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.
Comment:	Matching Isotype Control: PE Mouse IgG2b, к Isotype Control (ABIN7469795)
Restrictions:	For Research Use only
Handling	
Buffer:	PBS with 0.05 % Proclin300, 1 % BSA
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C

Store at $2\sim8$ °C and protected from prolonged exposure to light. Do not freeze.