

Datasheet for ABIN7644940

anti-Prostaglandin E Synthase antibody



\sim				
O_1	/ el	rVI	161	Λ

Quantity:	100 μL
Target:	Prostaglandin E Synthase (PTGES)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Prostaglandin E Synthase antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Prostaglandin E Synthase, Microsomal (PTGES)
Specificity:	The antibody is a mouse monoclonal antibody raised against PTGES. It has been selected for its ability to recognize PTGES in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	Prostaglandin E Synthase (PTGES)
Alternative Name:	PTGES (PTGES Products)
Background:	MGST1L1, MGST-IV, MGST1-L1, PGES, PIG12, PP102, PP1294, TP53I12, PGE Synthase, Tumor Protein p53 Inducible Protein 12, Glutathione S-Transferase 1-Like 1, MGST1-Like 1
UniProt:	014684

Application Details

Application Notes:	Western blotting: $0.2-2~\mu g/m L$, $1:500-5000~lmmunohistochemistry: 5-20~\mu g/m L, 1:50-200~lmmunocytochemistry: 5-20~\mu g/m L, 1:50-200~Optimal~working~dilutions~must~be~determined~by~end~user.$	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	