

Datasheet for ABIN7654178
anti-PSMA antibody (AA 232-433)



[Go to Product page](#)

Overview

Quantity:	50 µL
Target:	PSMA (FOLH1)
Binding Specificity:	AA 232-433
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This PSMA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections) (IHC (fp))

Product Details

Purpose:	FOLH1 / PSMA (Prostate Epithelial Marker)(FOLH1/2363)
Immunogen:	Recombinant human FOLH1 protein fragment (around aa 232-433)
Clone:	FOLH1-2363
Isotype:	IgG2b, kappa
Characteristics:	Folate hydrolase 1 (FOLH1), also known as Prostate-specific membrane antigen (PSMA), is a type II transmembrane glycoprotein belonging to the M28 peptidase family. FOLH1 has two enzymatic activities, one as a prostate-specific integral membrane folate hydrolase and the other as a carboxypeptidase. In the prostate the protein is up-regulated in cancerous cells and is used as an effective diagnostic and prognostic indicator of prostate cancer. Primary antibodies are available purified, or with a selection of fluorescent CF® Dyes and other labels.

Product Details

CF® Dyes offer exceptional brightness and photostability. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

Target Details

Target:	PSMA (FOLH1)
Alternative Name:	FOLH1
Background:	Synonyms: Cell growth-inhibiting gene 27 protein (GIG27), Folate hydrolase 1 (FOLH1), Folylpoly-gamma-glutamate carboxypeptidase (FGCP), Glutamate carboxylase II (GCPII), Glutamate carboxypeptidase 2 (GCP2), Glutamate carboxypeptidase II Membrane glutamate carboxypeptidase N-acetylated-alpha-linked acidic dipeptidase I (NAALAD1 or NAALADase), Prostate-specific membrane antigen (PSM or PSMA), Pteroylpoly-gamma-glutamate carboxypeptidase Gene Symbol: FOLH1 Tissue Expression: Prostate
Molecular Weight:	100 kDa
Gene ID:	2346
UniProt:	Q04609

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Comment:	Positive Control: LNCap or HepG2 cells. Prostate Carcinoma.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, no BSA, no azide
Preservative:	Without preservative
Storage:	-20 °C

Handling

Storage Comment:	Stable at room temperature or 37°C for 7 days.
	Store at -20 °C. Protect fluorescent conjugates from light
Expiry Date:	24 months