

Datasheet for ABIN879418

anti-NFKBIA antibody (pTyr305) (AbBy Fluor® 555)



Go to Product page

Overview	
Quantity:	100 μL
Target:	NFKBIA
Binding Specificity:	pTyr305
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NFKBIA antibody is conjugated to AbBy Fluor® 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Flow Cytometry (FACS)
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human IKB alpha around the phosphorylation site of Tyr305
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Cow,Sheep,Pig,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	NFKBIA

Target Details

Alternative Name:	NFKBIA (NFKBIA Products)
Background:	Synonyms: IKBA, MAD-3, NFKBI, NF-kappa-B inhibitor alpha, I-kappa-B-alpha, IkB-alpha,
	IkappaBalpha, Major histocompatibility complex enhancer-binding protein MAD3, NFKBIA,
	MAD3
	Background: Inhibits the activity of dimeric NF-kappa-B/REL complexes by trapping REL dimers
	in the cytoplasm through masking of their nuclear localization signals. On cellular stimulation
	by immune and proinflammatory responses, becomes phosphorylated promoting ubiquitination
	and degradation, enabling the dimeric RELA to translocate to the nucleus and activate
	transcription.
Gene ID:	4792
UniProt:	P25963
Pathways:	NF-kappaB Signaling, TCR Signaling, TLR Signaling, Fc-epsilon Receptor Signaling Pathway,
	Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin,
	Maintenance of Protein Location, Hepatitis C, Protein targeting to Nucleus, Toll-Like Receptors
	Cascades, BCR Signaling
Application Details	
Application Notes:	FCM 1:20-100
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.

Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months