antibodies -online.com





anti-AGE antibody (AbBy Fluor® 555)



Go to Product page

()	11/0	K\ /	iew
	\cup	'I V/I	$I \cap VV$

Quantity:	100 μL	
Target:	AGE	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This AGE antibody is conjugated to AbBy Fluor® 555	
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	AGEs
Isotype:	IgG
Specificity:	Reacts with BSA-AGE.
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	AGE
Alternative Name:	AGEs (AGE Products)
Target Type:	Chemical

Target Details

Storage:

Storage Comment:

-20 °C

rarget Details		
Background:	Synonyms: Advanced Glycation End products, Serum albumin, BSA, ALB	
	Background: Advanced Glycation End products (AGEs) are the result of a chain of chemical	
	reactions after an initial glycation reaction. The intermediate products are known, variously, as	
	Amadori, Schiff base and Maillard products, named after the researchers who first described	
	them. (The literature is inconsistent in applying these terms. For example, Maillard reaction	
	products are sometimes considered intermediates and sometimes end products.) Side	
	products generated in intermediate steps may be oxidizing agents (such as hydrogen peroxide),	
	or not (such as beta amyloid proteins). "Glycosylation" is sometimes used for "glycation" in the	
	literature, usually as 'non-enzymatic glycosylation. The AGE-modified BSA was produced by	
	reacting BSA with glycolaldehyde under sterile conditions followed by extensive dialysis and	
	purification steps.	
Gene ID:	280717	
UniProt:	P02769	
Application Details		
Application Notes:	FCM 1:20-100	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

\vdash	land	lına
	iaria	шц

Expiry Date:

12 months