
antibodies -online.com





anti-DEK antibody (AA 101-200) (AbBy Fluor® 555)



Go to Product page

Overview		
Quantity:	100 μL	
Target:	DEK	
Binding Specificity:	AA 101-200	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DEK antibody is conjugated to AbBy Fluor® 555	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence	

(Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DEK
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	DEK
Alternative Name:	DEK (DEK Products)

Target Details

901 2 0140	
Background:	Synonyms: D6S231E, Dek, DEK gene, DEK oncogene, DEK oncogene DNA binding, DNA binding,
	DEK_HUMAN, OTTHUMP00000039357, Protein DEK.
	Background: The DEK gene encodes a protein with one SAP domain. This protein binds to
	cruciform and superhelical DNA which then induces positive supercoils into closed circular
	DNA, and is also involved during mRNA processing in splice site selection. Chromosomal
	aberrations involving this region, increased expression of this gene, and the presence of against
	this protein are all associated with various diseases. Two transcript variants encoding different
	isoforms have been found for this gene.
Gene ID:	7913
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months