antibodies -online.com





anti-DRD4 antibody (AA 151-250) (AbBy Fluor® 350)



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL	
Target:	DRD4	
Binding Specificity:	AA 151-250	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DRD4 antibody is conjugated to AbBy Fluor® 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DRD4	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat	
Purification:	Purified by Protein A.	

Target Details

Target:	DRD4
Alternative Name:	Drd4 (DRD4 Products)

Target Details

•		
Background:	Synonyms: DRD4 receptor, dopamine D4 receptor, D4 dopamine receptor, DRD4_HUMAN.	
	Background: This gene encodes the D4 subtype of the dopamine receptor. The D4 subtype is a	
	G-protein coupled receptor which inhibits adenylyl cyclase. It is a target for drugs which treat	
	schizophrenia and Parkinson disease. Mutations in this gene have been associated with various	
	behavioral phenotypes, including autonomic nervous system dysfunction, attention	
	deficit/hyperactivity disorder, and the personality trait of novelty seeking. This gene contains a	
	polymorphic number (2-10 copies) of tandem 48 nt repeats, the sequence shown contains four	
	repeats.DRD4 expression has been reported in various regions of the brain as well as in adrenal	
	gland, artery, eye, heart, kidney, placenta, spinal cord, testis, and vas deferens.	
Gene ID:	1815	
UniProt:	P21917	
Pathways:	cAMP Metabolic Process, Synaptic Membrane, Proton Transport, Photoperiodism, Negative	
	Regulation of Transporter Activity	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	