

Datasheet for ABIN898944

anti-KCNJ3 antibody (AA 81-180) (AbBy Fluor® 647)



Go to Product page

_						
	V	\triangle	r۱	/1	\triangle	Λ/
	' V '		ΙV			v v

Alternative Name:

Quantity:	100 μL
Target:	KCNJ3
Binding Specificity:	AA 81-180
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KCNJ3 antibody is conjugated to AbBy Fluor® 647
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human GIRK1
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Pig,Rabbit,Guinea Pig
Purification:	Purified by Protein A.
Target Details	
Target:	KCNJ3

GIRK1 (KCNJ3 Products)

Target Details

-	
Background:	Synonyms: KGA, GIRK1, KIR3.1, G protein-activated inward rectifier potassium channel 1, GIRK-
	1, Inward rectifier K(+) channel Kir3.1, Potassium channel, inwardly rectifying subfamily J
	member 3, KCNJ3
	Background: This potassium channel is controlled by G proteins. Inward rectifier potassium
	channels are characterized by a greater tendency to allow potassium to flow into the cell rather
	than out of it. Their voltage dependence is regulated by the concentration of extracellular
	potassium, as external potassium is raised, the voltage range of the channel opening shifts to
	more positive voltages. The inward rectification is mainly due to the blockage of outward
	current by internal magnesium. This receptor plays a crucial role in regulating the heartbeat.
Gene ID:	3760
UniProt:	P48549
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months