# antibodies - online.com





Datasheet for ABIN901622

## anti-RNF144B antibody (AA 218-303) (Cy3)

( )	1 /	0	rv	/ 1 /	71	Α.
	1//	$\vdash$	1 \/	16		1/1/
$\sim$	v	$\sim$	1 V	١,	_	v v

Quantity:	100 μL	
Target:	RNF144B	
Binding Specificity:	AA 218-303	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RNF144B antibody is conjugated to Cy3	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human IBRDC2/RING finger protein 144B
Isotype:	IgG
Predicted Reactivity: Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Horse, Chicken, Cat, Rabbit, Guinea Pig	
Purification:	Purified by Protein A.

### **Target Details**

Target:	RNF144B	
Alternative Name:	RNF144B (RNF144B Products)	
Background: Synonyms: E3 ubiquitin protein ligase RNF144B, RING finger protein 144B, E3 ubiquitin-protein		

ligase RNF144B, IBR domain containing 2, IBR domain containing protein 2, IBR domain-containing protein 2, IBRDC 2, IBRDC2, p53 inducible RING finger protein, p53-inducible RING finger protein, p53RFP, PIR2, R144B\_HUMAN, Ring finger 144B, RING finger protein 144B, RNF 144B, RNF144B.

Background: E3 ubiquitin-protein ligase which accepts ubiquitin from E2 ubiquitin-conjugating enzymes UBE2L3 and UBE2L6 in the form of a thioester and then directly transfers the ubiquitin to targeted substrates such as LCMT2, thereby promoting their degradation. Induces apoptosis via a p53/TP53-dependent but caspase-independent mechanism. However, its overexpression also produces a decrease of the ubiquitin-dependent stability of BAX, a pro-apoptotic protein, ultimately leading to protection of cell death, But, it is not an anti-apoptotic protein per se. Tissue specificity: Broadly expressed, with lowest levels in brain and thymus, and highest levels detectable in heart, ovary and testis.

Gene ID:

255488

#### **Application Details**

Application Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

#### Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	