# antibodies -online.com





Datasheet for ABIN905012

# anti-LONP1 antibody (AA 361-460) (Alexa Fluor 555)



( )	11/0	K\ /	iew
	$\cup$	'I V/I	$I \cap VV$

Quantity:	100 μL
Target:	LONP1
Binding Specificity:	AA 361-460
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LONP1 antibody is conjugated to Alexa Fluor 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human LONP1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Dog,Cow,Pig,Horse,Chicken	
Purification:	Purified by Protein A.	

## **Target Details**

Target:	LONP1
Alternative Name:	LONP1 (LONP1 Products)

## **Target Details**

Storage Comment:

rarger betane		
Background:	Synonyms: LON, LONP, hLON, LonHS, PRSS15, Lon protease homolog, mitochondrial, Lon	
	protease-like protein, Mitochondrial ATP-dependent protease Lon, Serine protease 15, LONP1	
	Background: ATP-dependent serine protease that mediates the selective degradation of	
	misfolded, unassembled or oxidatively damaged polypeptides as well as certain short-lived	
	regulatory proteins in the mitochondrial matrix. May also have a chaperone function in the	
	assembly of inner membrane protein complexes. Participates in the regulation of mitochondrial	
	gene expression and in the maintenance of the integrity of the mitochondrial genome. Binds to	
	mitochondrial promoters and RNA in a single-stranded, site-specific, and strand-specific	
	manner. May regulate mitochondrial DNA replication and/or gene expression using site-	
	specific, single-stranded DNA binding to target the degradation of regulatory proteins binding to	
	adjacent sites in mitochondrial promoters. Endogenous substrates include mitochondrial	
	steroidogenic acute regulatory (StAR) protein.	
Gene ID:	9361	
UniProt:	P36776	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Н	and	lin	C

Expiry Date:

12 months