# antibodies - online.com







## anti-ROBO2 antibody (AA 144-220) (Alexa Fluor 488)



$\sim$	
( )\/△	rview
$\cup$	1 410 44

Quantity:	100 μL
Target:	ROBO2
Binding Specificity:	AA 144-220
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ROBO2 antibody is conjugated to Alexa Fluor 488
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Robo2
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

#### **Target Details**

Target:	ROBO2
Alternative Name:	Robo2 (ROBO2 Products)

### **Target Details**

Background:	Synonyms: lea, Robo 2, ROBO2, ROBO2_HUMAN, Roundabout 2, Roundabout homolog 2,
	roundabout, axon guidance receptor, homolog 2 Drosophila, Roundabout2, SAX 3,SAX3.
	Background: Receptor for SLIT2, and probably SLIT1, which are thought to act as molecular
	guidance cue in cellular migration, including axonal navigation at the ventral midline of the
	neural tube and projection of axons to different regions during neuronal
	development.Involvement in disease:Defects in ROBO2 are the cause of vesicoureteral reflux
	type 2 (VUR2) . VUR is a complex, genetically heterogeneous developmental disorder
	characterized by the retrograde flow of urine from the bladder into the ureter and is associated
	with reflux nephropathy, the cause of 15 % of end-stage renal disease in children and young
	adults.
Gene ID:	6092
Pathways:	Regulation of Cell Size
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months