antibodies -online.com





Datasheet for ABIN917520

anti-TGM3 antibody (AA 601-693) (Alexa Fluor 350)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL	
Target:	TGM3	
Binding Specificity:	AA 601-693	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TGM3 antibody is conjugated to Alexa Fluor 350	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TGM3
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	TGM3
Alternative Name:	Tgm3 (TGM3 Products)

Target Details

Background:	Synonyms: TGE, Protein-glutamine gamma-glutamyltransferase E, Transglutaminase E, TG(E),		
	TGase E, Transglutaminase-3, TGase-3, TGM3		
	Background: Catalyzes the calcium-dependent formation of isopeptide cross-links between		
	glutamine and lysine residues in various proteins, as well as the conjugation of polyamines to		
	proteins. Involved in the formation of the cornified envelope (CE), a specialized component		
	consisting of covalent cross-links of proteins beneath the plasma membrane of terminally		
	differentiated keratinocytes. Catalyzes small proline-rich proteins (SPRR1 and SPRR2) and LOR		
	cross-linking to form small interchain oligomers, which are further cross-linked by TGM1 onto		
	the growing CE scaffold (By similarity). In hair follicles, involved in cross-linking structural		
	proteins to hardening the inner root sheath.		
Gene ID:	7053		
UniProt:	Q08188		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		